

## Additional Table Samples

Table 1--Initial hardwood species composition

Species	Stand basal area		Stem density	
	<i>Ft</i> <sup>2</sup> / <i>ac</i>	%	No./ <i>ac</i>	%
Sweetgum	5.7	42	1,102	35
Water oak	2.3	16	601	19
Southern				
red oak	1.3	9	304	10
Black cherry	.8	6	128	4
Red maple	.4	3	142	4
Florida maple	.3	2	136	4
Dogwood	.3	2	64	2
Eastern				
redcedar	.3	2	39	1
Persimmon	.2	2	35	1
Others	2.0	16	618	20
<b>Total</b>	<b>13.6</b>	<b>100</b>	<b>3,169</b>	<b>100</b>

Table 2--Initial stand attributes

Attribute	Slash pine	Turkey oak	<i>Vaccinium</i> spp.
Height (ft)	25	10	4
D.b.h. (in.)	3.7	— <sup>a</sup>	—
Basal area <sup>b</sup> (ft <sup>2</sup> / <i>ac</i> )	43	40	1
Stocking (stems/ <i>ac</i> )	504	2,031	380
Volume (ft <sup>3</sup> / <i>ac</i> )	540	—	—

<sup>a</sup> No data.

<sup>b</sup> Basal area at groundline for turkey oak and *Vaccinium* spp.