United States
Department of
Agriculture

Forest Service

**Southern Forest
Experiment Station**

New Orleans,
Louisiana

General Technical Report
SO-47
September, 1983

A Partial Bibliography on Management of Non-Game Birds in the Southeast, 1960-1980

James G. Dickson, Wayne R. Marion,
William C. McComb, and John J. Moriarty



A Partial Bibliography on Management of Non-Game Birds in the Southeast, 1960-1980

James G. Dickson, Wayne R. Marion, William C. McComb, and John J. Moriarty

INTRODUCTION

The objective of this publication is to provide a ready source of references related to management of non-game birds in the South. This should be helpful to those in early stages of management of non-game birds. This publication was sponsored by the Non-game Committee of the Southeastern Section of The Wildlife Society.

All references with publication dates from 1960 to 1980 were taken from *Wildlife Review*. Subject categories included were:

1. Wildlife — General; Faunas, natural history, manuals; Population dynamics; Management non-game; Wetlands and wildlife; Forests and wildlife; Environmental impacts and assessments.

2. Birds — General; Faunas, communities, manuals; Population dynamics; Economics, damage, predation, control; Waterbirds; Loons and grebes; Shorebirds, marshbirds and allies; Raptors; Passerine birds; General; Blackbirds, starlings, crows; Other passerine birds; Other birds.

References not pertaining to management and references of game birds, threatened and endangered species, and pesticides and pollution were omitted to avoid too broad a scope and duplication with other bibliographies.

The geographical area covered is the southeastern United States, bordered by Virginia, West Virginia, Kentucky, Missouri, East Oklahoma, and East Texas. A few general articles from outside this range but appropriate to bird management in the South are included.

References are arranged alphabetically by author. A subject index is included to facilitate location of references.

1. Abbott, J.M. 1969. House sparrows take over a flicker nest hole. Raven 40(2):38.
2. Adams, D.L., and G.W. Barrett. 1976. Stress effects on bird species diversity within mature forest ecosystems. Am. Midl. Nat. 96(1):179–194.
3. Alexander, W.C. 1973. Abundance and habitat preferences of birds on the slopes of Grandfather Mountain, North Carolina, April–November. J. Elisha Mitchell Sci. Soc. 89(1–2):92–100.
4. Alsop, F.J., III. 1969. Barn swallows nesting in the Great Smokey Mountains National Park. Migrant 40(3):66–67.
5. Alsop, F.J., III. 1972. A preliminary list of Tennessee birds. Migrant 43(3):57–64, 71.
6. Alsop, F.J., III. 1977. Savannah sparrow (*Passerculus sandwichensis*) extends its breeding range into upper eastern Tennessee. Am. Birds 31(6): 1101–1102.
7. Alsop, F.J., III, and P.I. Kalla. 1979. Distribution, relative abundance, and habitat preference of the Mississippi kite (*Ictinia misisippiensis*) in Tennessee. J. Tenn. Acad. Sci. 54(2):73.
8. Ambrose, R.E. 1966. Changes in abundance of myrtle warblers during spring migration at Tuscaloosa, Alabama. Ala. Birdlife 14(2–3):9–13.
9. Ambrose, R.E. 1976. The effect of small tract clearcutting on populations of birds and small mammals. Ph.D. Thesis. Univ. Tennessee, Knoxville. 311pp.
10. Anderson, J.M. 1977. Managing non-game wildlife on private lands. Trans. North Am. Wildl. Nat. Resour. Conf. 42:286–293.
11. Anderson, S.H. 1979. Changes in forest bird species composition caused by transmission line corridor cuts. Am. Birds 33(1):3–6.
12. Anderson, S.H., and H.H. Shugart, Jr. 1974. Habitat selection of breeding birds in an east Tennessee deciduous forest. Ecology 55(4):828–837.

James G. Dickson is Supervisory Research Wildlife Biologist, Wildlife Habitat and Silviculture Laboratory, maintained in cooperation with the School of Forestry, Stephen F. Austin State University, Southern Forest Experiment Station, Forest Service — USDA, Nacogdoches, Texas. Wayne R. Marion is Associate Professor of Wildlife Ecology, School of Forest Resources and Conservation, University of Florida, Gainesville. William C. McComb is Assistant Professor and John J. Moriarty is Graduate Assistant in the Department of Forestry, University of Kentucky, Lexington.

13. Baker, W.W., and R.H. Peake. 1966. Whip-poor-will populations in the lower Piedmont of Georgia. Oriole 31(2):15–19.
14. Beckwith, S.L. 1964. Effect of site preparation on wildlife and vegetation in the sandhills of central Florida. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 18:39–48.
15. Bildstein, K.L., and T.C. Grubb, Jr. 1980. Roadside raptor count in eastern Texas. Bull. Tex. Ornithol. Soc. 13(1):20–22.
16. Bongiorno, S.F. 1970. Nest site selection by adult laughing gulls, (*Lanus atricilla*). Anim. Behav. 18(3):434–444.
17. Bonwell, W.R., A.R. Tipton, J.B. Whelan, and T.L. Sharik. 1978. Response of understory vegetation and forest wildlife to commercial thinning. Va. J. Sci. 29(2):57.
18. Britt, W.G. 1977. Vegetative habitat and territory size of the American redstart (*Setophaga ruticilla*) in eastern Texas. M.S. Thesis. Stephen F. Austin State Univ., Nacogdoches, Texas. 53pp.
19. Browder, J.A. 1977. Water, wetlands, and wood storks in southwest Florida. Ph.D. Thesis. Univ. Florida, Gainesville. 417pp.
20. Buckelew, A.R., Jr. 1976. Birds of the West Virginia northern panhandle. Redstart 43(3):90–107.
21. Buckner, J.L. 1977. Wildlife management on southern industrial forest lands. Trans. North Am. Wildl. Nat. Resour. Conf. 42:465–471.
22. Buckner, J.L., and J.L. Landers. 1979. Fire and disking effects on herbaceous food plants and seed supplies. J. Wildl. Manage. 43(3):807–811.
23. Buckner, J.L., and J.L. Landers 1980. A forester's guide to wildlife management in southern industrial pine forests. Southlands Exp. For. Tech. Bull. 10. 16 pp.
24. Burandt, C.L., Jr., E.S. Nixon, and L.R. Willett. 1977. Woody vegetation of an inland heronry in east Texas. Southwest. Nat. 21(4):475–486.
25. Calder, W.A. 1967. Breeding behavior of the roadrunner, (*Geococcyx californianus*). Auk 84(4): 597–598.
26. Call, M.W. 1980. Habitat management guides for birds of prey. U.S. Bur. Land Manage. Tech. Note 338. 70 pp.
27. Carey, R.C., P.S. Markovits, and J.B. Kirkwood. 1980. Workshop on coastal ecosystems of the southeastern United States. U.S. Fish and Wildl. Serv. FWS/OBS–80/59.
28. Chabreck, R.H. 1963. Breeding habits of the pied-billed grebe in impounded coastal marsh in Louisiana. Auk 80(4):447–452.
29. Chabreck, R.H. 1972. Ponds and lakes of the Louisiana coastal marshes and their value to fish and wildlife. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 25:206–215.
30. Chamberlain, D.R. 1967. Crow predation on small birds. Va. Wildl. 28(12):18.
31. Chamberlain, W.D. 1978. The birds of Turtle Island South Carolina. Chat 42(1):3–7.
32. Childers, E.T., T.L. Sharik, and C.S. Adkisson. 1980. Influences of forest conversion on songbird communities in the central Piedmont of Virginia. Va. J. Sci. 31(4):97.
33. Clebsch, E.E.C. 1976. Preliminary estimates of bird population densities in Johnson, Lawrence, and Morgan Counties, Kentucky, Ky. Warbler 52(2):23–30.
34. Coffey, B.B., Jr. 1976. The eastern phoebe as a summer resident in Mississippi. Miss. Kite 6(2): 38–41.
35. Conner, R.N. 1976. Nesting habitat for red-headed woodpeckers in southwest Virginia. Bird-Banding 47(1):40–43.
36. Conner, R.N. 1977. The effect of hardness on the orientation of woodpecker nest entrances. Auk 94(2):369–370.
37. Conner, R.N. 1979. Minimum standards and forest wildlife management. Wildl. Soc. Bull. 7(4): 293–296.
38. Conner, R.N. 1980. Foraging habitats of woodpeckers in southwestern Virginia. J. Field Ornithol. 51(2):119–127.
39. Conner, R.N., and C.S. Adkisson. 1974. Eastern bluebirds nesting in clearcuts. J. Wildl. Manage. 38(4):934–935.
40. Conner, R.N., and C.S. Adkisson. 1975. Effects of clearcutting on the diversity of breeding birds. J. For. 73(12):781–785.
41. Conner, R.N., and C.S. Adkisson. 1976. Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. For. Sci. 22(2):122–127.
42. Conner, R.N., and C.S. Adkisson. 1977. Principal component analysis of woodpecker nesting habitat. Wilson Bull. 89(1):122–129.
43. Conner, R.N., and H.S. Crawford. 1974. Woodpecker foraging in Appalachian clearcuts. J. For. 72(9):564–566.
44. Conner, R.N., R.G. Hooper, H.S. Crawford, and H.S. Mosby. 1975. Woodpecker nesting habitat in cut and uncut woodlands in Virginia. J. Wildl. Manage. 29(1):144–150.
45. Conner, R.N., O.K. Miller, Jr., and C.S. Adkisson. 1976. Woodpecker dependence on trees infected by fungal heart rots. Wilson Bull. 88(4):575–581.
46. Conner, R.N., J.W. Via, and I.D. Prather. 1979. Effects of pine-oak clearcutting on winter and breeding birds in southwestern Virginia. Wilson Bull. 91(2):301–316.
47. Crawford, H.S. 1971. Wildlife habitat changes

after intermediate cutting for even-aged oak management. J. Wildl. Manage. 35(2):275–286.
48. Crawford, H.S., D.M. Hardy, and W.A. Abler. 1978. A survey of bird use of strip mined areas in southern West Virginia. Pages 241–246 in D.E. Samuel et al. eds. Surface mining and fish/wildlife needs in the eastern United States. FWS/OBS–78/81.
49. Crebbs, T.C. 1960. Blackbird ecology and their relationship to agriculture in southeastern Virginia. M.S. Thesis. Virginia Polytech. Inst., Blacksburg. 153pp.
50. Cunningham, R.L. 1965. Predation on birds by the cattle egret. Auk 82(3):502–503.
51. Cunningham, R.L. 1966. Caspian tern feeding upon carrion. Wilson Bull. 78(3):319.
52. Cushwa, C.T., E. Czuhai, R.W. Cooper, and W.H. Julian. 1969. Burning clearcut openings in loblolly pine to improve wildlife habitat. Ga. For. Res. Pap. 61:1–5.
53. Cushwa, C.T., and R.E. Martin. 1969. The status of prescribed burning for wildlife management in the southeast. Trans. North Am. Wildl. Nat. Resour. Conf. 34:419–428.
54. Custer, T.W., and R.G. Osborn. 1978. Feeding habitat use by colonially breeding herons, egrets, and ibises in North Carolina. Auk 95(4):733–743.
55. Davey, S.P. 1967. The role of wildlife in an urban environment. Trans. North Am. Wildl. Nat. Resour. Conf. 32:50–60.
56. Davison, B. 1961. Food competition between game and non-game birds. Trans. North Am. Wildl. Conf. 26:239–246.
57. Davison, B. 1963. What bluebirds eat. Audubon 64:223–224.
58. Davis, C.S. 1980. Avifaunal populations associated with oxbows and floodplain forests of the Neches and Angelina Rivers in southeastern Texas. M.S. Thesis. Stephen F. Austin State Univ., Nacogdoches, Texas. 112pp.
59. Davis, D.E., and I.R. Savidge. 1971. Distribution of certain birds in various types of vegetation. Bird-Banding 42(4):264–268.
60. DeGraaf, R.M., tech coord. 1978. Proceedings of the workshop: management of southern forest for non-game birds. U.S. Dep. Agric. For. Serv. Gen. Tech. Rep. SE-14. 175pp.
61. Dennis, J.V. 1964. Woodpecker damage to utility poles: with special reference to the role of territory and resonance. Bird-Banding 35(4):225–253.
62. Dennis, J.V. 1966. Reaction of the starling (*Sturnus vulgaris*) to hard fatty foods. Bird-Banding 37(1):51–52.
63. Denton, J.F. 1966. The migration and abundance of blackbirds, tanagers, and fringillids in Richmond County, Georgia. Oriole 31(4):43–46.
64. Denton, J.F. 1976. The status of some summer birds in the upper Piedmont of eastern Georgia. Oriole 41(2–3):36–38.
65. Denton, J.F. 1977. Species recently accepted in the official list of Georgia birds. Oriole 42(1):1–4.
66. Denton, J.F. 1977. The recent nesting osprey population in Georgia. Oriole 42(3):41–45.
67. Devore, J.E. 1968. A nesting colony study of the king rail and least bittern. Migrant 39(3):53–58.
68. Dickson, J.G. 1978. Seasonal bird populations in a south-central Louisiana bottomland hardwood forest. J. Wildl. Manage. 42(4):875–883.
69. Dickson, J.G., R.N. Conner, R.R. Fleet, J.C. Kroll, and J.A. Jackson, eds. 1980. The role of insectivorous birds in forest ecosystems. Academic Press, New York. 381pp.
70. Dickson, J.G., R.N. Conner, and J.H. Williamson. 1980. Relative abundance of breeding birds in forest stands in the Southeast. South. J. Appl. For. 4(4):174–179.
71. Dickson, J.G., and R.E. Noble. 1978. Vertical distribution of birds in a Louisiana bottomland hardwood forest. Wilson Bull. 90(1):19–30.
72. Dickson, J.G., and C.A. Segelquist. 1979. Breeding bird populations in pine and pine-hardwood forests in Texas. J. Wildl. Manage. 43(2):549–555.
73. Dickson, J.G., and C.A. Segelquist. 1979. Winter bird populations in pine and pine-hardwood forest stands in east Texas. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 31:134–137.
74. Dolbeer, R.A. 1976. Reproductive rate and temporal spacing of nesting red-winged blackbirds in upland habitat. Auk 93(2):343–355.
75. Dorsey, G.A. 1963. Notes on the food of the goldfinch. Oriole 28(4):72–73.
76. Dorward, R.E. 1965. Nursery bird control through cover crops. Tree Planters' Notes 70:12.
77. Dow, D.D. 1970. Distribution and dispersal of the cardinal (*Richmondena cardinalis*) in relation to vegetational cover and river systems. Am. Midl. Nat. 84(1):198–207.
78. Duncan, R.A. 1976. The black-whiskered vireo: a summary of its status on the northern Gulf coast. Am. Birds 30(3):658–660.
79. Dusi, J.L. 1966. The identification characteristics of nests, eggs, and nestlings of some herons, ibises, and anhingas. Ala. Birdlife 14(2–3):2–8.
80. Dusi, J.L., and R.T. Dusi. 1968. Ecological factors contributing to nesting failure in a heron colony. Wilson Bull. 80(4):458–466.
81. Ehrenreich, J.H., and D.A. Murphy. 1962. A method of evaluating habitat for forest wildlife. Trans. North Am. Wildl. Conf. 27:376–384.
82. Ellis, L.E., and J. Kellett. 1970. Experiment with artificial nests. Fla. Nat. 43(4):148–149.

83. Ellis, R.W., and J.B. Whelan. 1978. Impact of stream channelization on riparian small mammal and bird populations in Piedmont Virginia. Trans. Northeast Sect. Wildl. Soc. 35:92–104.
84. Erwin, R.M. 1980. Breeding habitat use by colonial nesting waterbirds in two mid-Atlantic U.S. regions under different regimes of human disturbance. Biol. Conserv. 18(1): 39–51.
85. Evans, K.E. 1978. Forest management opportunities for songbirds. Trans. North Am. Wildl. Nat. Resour. Conf. 43:69–77.
86. Feinsinger, P. 1978. Ecological interactions between plants and hummingbirds in a successional tropical community. Ecol. Monogr. 48(3):269–287.
87. Ferguson. H.L., R.W. Ellis, and J.B. Whelan. 1976. Effects of stream channelization on avian diversity and density in Piedmont Virginia. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 29:540–548.
88. Ficken, R.W., and W.C. Dilger. 1961. Insects and food mixtures for insectivorous birds. Avic. Mag. 67(2):46–55.
89. Finely, R.B., Jr. 1980. Deficiencies and training needs in non-game wildlife management. Trans. North Am. Wildl. Nat. Resour. Conf. 45:268–270.
90. Fink, L.C. 1970. Birds in downtown Atlanta: 1969. Oriole 35(1):1–9.
91. Florschutz, O., Jr. 1967. Multiple use of salt marsh impoundments. Wildl. N.C. 31(11): 12–14.
92. Fowler, D.K. 1970. The relationship of late summer post-breeding bird populations to vegetation in southern Appalachian forest recreation areas. M.S. Thesis. Virginia Polytech. Inst., Blacksburg. 116pp.
93. Fretwell, S. 1967. Nesting success of dickcissels breeding in North Carolina. Chat 31(4):85–88.
94. Fretwell, S. 1968. Habitat distribution and survival in the field sparrow. Bird-Banding 39(4): 293–306.
95. Garner, K.M. 1978. Management of blackbird and starling winter roost problems in Kentucky and Tennessee. Proc. Vertebr. Pest Conf. 8:54–59.
96. Gersbacher, E.O. 1964. Heronries of Reelfoot Lake: 25 years later. J. Tenn. Acad. Sci. 39(1): 15–16.
97. Gill, J.D., R.M. DeGraaf, and J.W. Thomas. 1974. Forest habitat management for non-game birds in central Appalachia. U.S.D.A. For. Serv. Res. Note NE-192. 6pp.
98. Grant, G.S., and T.L. Quay. 1977. Breeding biology of cliff swallows in Virginia. Wilson Bull. 89(2):288–290.
99. Gray, W. 1969. Sharp-shinned hawk preys on cardinal. Ky. Warbler 45(2):41–42.
100. Grey, J. 1964. The status of the North Carolina list. Chat 28(1):3–8.
101. Guthery, F.S. 1976. Foods and feeding habitat of sandhill cranes in southern Texas. Proc. Int. Crane Workshop 1:117–125.
102. Hailman, J.P. 1964. Social acceleration of food discovery in gull chicks. Proc. Int. Congr. Zool. 16(2):21.
103. Hall, G.A. 1971. The list of West Virginia birds. Redstart 38(1):2–18.
104. Hanebrink, E.L. 1965. A study of bird populations in selected habitats of northeast Arkansas. Ph.D. Thesis. Oklahoma State Univ., Stillwater. 93pp.
105. Hanebrink, E.L., K. Sutton, and A.F. Posey. 1978. Species composition and diversity of hawk populations in northeastern Arkansas. Proc. Ark. Acad. Sci. 32:51–54.
106. Hamel, P.B. 1977. The wood stork in South Carolina: a review. Chat 41(2):24–27.
107. Hardy, J.W. 1978. Damage to loblolly pine by winter roosting blackbirds and starlings. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 30:466–470.
108. Harford, H. 1966. Tufted titmouse destroys bagworms. Wilson Bull. 78(4):474.
109. Harris, L.D. 1980. Forest and Wildlife dynamics in the southeast. Trans. North Am. Wildl. Nat. Resour. Conf. 45:307–340.
110. Hauser, D.C. 1967. Aphids as a source of food for migrating warblers. Chat 31(2):37–39.
111. Hebrard, J.J. 1978. Laboratory and field studies of habitat selection in two species of sparrows. Am. Zool. 18(3):650.
112. Henny, C.J. 1977. Research, management, and status of the osprey in North America. World Conf. Birds Prey 1:199–222.
113. Henry, V.G. 1969. Predation on dummy nests of ground-nesting birds in the southern Appalachians. J. Wildl. Manage. 33(1):169–172.
114. Hiller, R.B., and P.F. Scanlon. 1978. Bird species utilizing peanut fields in eastern Virginia. Va. J. Sci. 29(2):62.
115. Hirth, D.H., and W.R. Marion. 1979. Bird communities of a south Florida flatwoods. Fla. Sci. 42(3):142–151.
116. Holder, G.L., M.K. Johnson, and J.L. Baker. 1980. Cattle grazing and management of dusky seaside sparrow habitat. Wildl. Soc. Bull. 8(2): 105–109.
117. Holder, T.H. 1969. The destruction of our most valuable wildlife habitat. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 23:13–18.
118. Holloway, H.L.. Jr. 1966. Notes on the life cycle of the indigo bunting. Raven 37(4):77–80.
119. Holt, J.P. 1974. Bird populations in the hemlock

sere on the Highlands Plateau, North Carolina: 1946–1972. Wilson Bull. 86(4):397–406.
120. Hooper, R.G. 1967. The influence of habitat disturbance on bird populations. M.S. Thesis. Virginia Polytech. Inst., Blacksburg. 132pp.
121. Hooper, R.G. 1977. Nesting habitat of common ravens in Virginia. Wilson Bull. 89(2):233–242.
122. Hooper, R.G., and H.S. Crawford. 1969. Woodland habitat research for non-game birds. Trans. North Am. Wildl. and Nat. Resour. Conf. 34:201–207.
123. Hooper, R.G., H.S. Crawford, and R.F. Harlow. 1973. Bird density and diversity as related to vegetation in forest recreational areas. J. For. 71(12):766–769.
124. Hooper, R.G., E.F. Smith, H.S. Crawford, B.S. McGinnes, and V.J. Walker. 1975. Nesting bird population in a new town. Wildl. Soc. Bull. 3(3): 111–118.
125. Hopkins. M.N., Jr. 1977. Beaver ponds as prime woodpecker habitats in Georgia. Oriole 42(4):81.
126. Hopkins, M.N., Jr., and C.W. Dopson, Jr. 1967. An aerial search for rookeries in south-central Georgia. Oriole 32(4):39–45.
127. Hubbard, J.P., and C.L. Hubbard. 1969. Meadowlarks feeding on road-kills. Wilson Bull. 81(1): 107–108.
128. Jackson, J.A. 1975. Nest site selection of barn swallows in east-central Mississippi. Am. Midl. Nat. 94(2):503–509.
129. Jackson, J.A., M.W. Roberts, and J.E. Wright. 1972. The winter roosts and food habits of marsh hawks in east central Mississippi. Miss. Kite 2: 25–32.
130. Jackson, J.A., and J. Tate. 1974. An analysis of nest box use by purple martins, house sparrows, and starlings in eastern North America. Wilson Bull. 86(4):435–449.
131. James, D. 1960. Some recent findings concerning the avifauna of Arkansas. Proc. Ark. Acad. Sci. 14:8–13.
132. Jenni, D.A. 1969. A study of the ecology of four species of herons during the breeding season at Lake Alice, Alachua County, Florida. Ecol. Monogr. 39(3):245–270.
133. Johnston, D.W. 1964. The birds of Highlands, North Carolina, with a preliminary list from Cashiers and nearby gorges. J. Elisha Mitchell Sci. Soc. 80(1):29–38.
134. Johnston, D.W. 1965. Ecology of the indigo bunting in Florida. Q. J. Fla. Acad. Sci. 28(2): 199–211.
135. Johnston, D.W. 1970. High density of birds breeding in a modified deciduous forest. Wilson Bull. 82(1):79–82.
136. Johnston, D.W. 1971. Niche relationships among some deciduous forest flycatchers. Auk 88(4): 796–804.
137. Jones, H.P. 1969. Common grackle: a nesting study. Ky. Warbler 45(1):3–8.
138. Kadlec, J.A. 1971. Effects of introducing foxes and raccoons on herring gull populations. J. Wildl. Manage. 35(4):625–636.
139. Kahl, M.P., Jr. 1964. Food ecology of the wood stork in Florida. Ecol. Monogr. 34(2):97–117.
140. Kale, H.W., II. 1964. Bioenergetics of the long-billed marsh wren in a salt marsh ecosystem. Ph.D. Thesis. Univ. Georgia, Athens. 189 pp.
141. Kale, H.W., II. 1964. Food of the long-billed marsh wren in the salt marshes of Sapelo Island, Georgia. Oriole 29(4):27–61.
142. Kale, H.W., II. 1967. Water sources of the long-billed marsh wren in Georgia salt marshes. Auk 84(4):589–591.
143. Kale, H.W., II. 1968. The relationship of purple martins to mosquito control. Auk 85(4):654–661.
144. Kale, H.W., II., and W.L. Jennings. 1966. Movements of immature mockingbirds between swamp and residential areas of Pinellas County, Florida. Bird-Banding 37(2):113–120.
145. Kale, H.W., II, G.W. Sciple, and I.R. Tomkins. 1965. The royal tern colony of Little Egg Island, Georgia. Bird-Banding 36(1):21–27.
146. Kennedy, R.S. 1977. Ecological analysis and population estimates of the birds of the Atchafalaya Basin in Louisiana. Ph.D. Thesis. Louisiana State Univ., Baton Rouge. 216pp.
147. Kilham, L. 1977. Nest site differences between red-headed and red-bellied woodpeckers in South Carolina. Wilson Bull. 89(1):164–165.
148. Klopfer, P.H. 1965. Behavioral aspects of habitat selection: a preliminary report on stereotypy in foliage preferences of birds. Wilson Bull. 77(4): 376–381.
149. Klopfer, P.H., and J.P. Hailman. 1965. Habitat selection in birds. Adv. Stud. Behav. 1:279–303.
150. Kushlan, J.A. 1974. The ecology of the white ibis in southern Florida. Ph.D. Thesis. Univ. Miami, Miami. 142pp.
151. Kushlan, J.A. 1977. Nesting wading bird population in southern Florida. Fla. Sci. 4(1):65–72.
152. Kushlan, J.A. 1978. Wading bird use of the east Everglades, Fla. Field Nat. 6(2):46–47.
153. Kushlan, J.A. 1979. Wading bird preservation in Everglades National Park. Proc. Conf. Sci. Res. Natl. Parks. 1(5):483–487.
154. Landin, M.C. 1978. National perspective of colonial waterbirds nesting on dredged material islands. Trans. North Am. Wildl. Nat. Resour. Conf. 43:89–99.
155. Larrick, W.D., Jr., and R.H. Chabreck. 1978. Effects of weirs on aquatic vegetation along the

Louisiana coast. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 30:581–589.
156. Larson, E.R. 1970. A nesting study of the common nighthawk. Ky. Warbler 46(1):3–6.
157. Laskey, A.R. 1962. Breeding biology of mockingbirds. Auk 79(4):596–606.
158. Ledbetter, E.R. 1961. Olives for the birds. W. Va. Conserv. 25(3):6–7.
159. Lee, D.S. 1980. Supplement to the 1978 checklist of North Carolina birds. Chat 44(3):59–61.
160. LeGrand, H.E., Jr. 1976. Notes and comments on the blue-winged and golden-winged warblers in southwestern North Carolina in summer. Chat 40(1):15–16.
161. Lewis, J.C. 1974. Ecology of the sandhill crane in the southeastern central flyway. Ph.D. Thesis. Oklahoma State Univ., Stillwater. 213pp.
162. Lochmiller, R. 1978. Privet as a potential winter food supplement for songbirds. Bird-Banding 49(3):279–280.
163. Lucid, V.J. 1974. Bird utilization of habitat in residential areas. Ph.D. Thesis. Virginia Polytech. Inst., Blacksburg. 179pp.
164. MacArthur, L.B. 1980. The impact of various forest management practices on passerine community structure. Ph.D. Thesis. West Virginia Univ., Morgantown. 129pp.
165. Maki, T.E., et al. 1980. Effects of stream channelization on bottomland and swamp forest ecosystems. Water Resour. Res. Inst. Univ. N.C. Rep. 147. 135pp.
166. Martin, T.W., and J.H. Doebel. 1974. Management techniques for the Everglade kite: preliminary report. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 27:225–236.
167. Mason, W. 1979. Habitat selection by the Parulidae during spring migration along the South Fork Creek in Glasgow, Kentucky. Ky. Warbler 55(3): 39–42.
168. Matray, P.F. 1974. Broad-winged hawk nesting and ecology. Auk 91(2):307–324.
169. Maunz, H.P., and A.S. Morris. 1979. Utilization of nest boxes by eastern bluebirds in Lincoln Parish, Louisiana. Proc. La. Acad. Sci. 42:82–83.
170. Maxwell, G.R., II, and H.W. Kale, II. 1974. Population estimate of breeding birds on a spoil in the Indian River, Indian River County, Florida. Fla. Field Nat. 2(2):32–39.
171. McCoy, J. 1966. Unusual prey for osprey. Chat 30(4):108–109.
172. McCrimmon, D.A., Jr. 1978. Nest site characteristics among five species on the North Carolina coast. Auk 95(2):267–280.
173. McCuskey, S.A. 1979. Avian community organization: habitat-niche selection in ecotones. Ph.D. Thesis. Univ. Virginia, Charlottesville. 103pp.
174. McElveen, J.D. 1979. The edge effect on a forest bird community in north Florida. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 31:212–215.
175. Meanley, B. 1963. Nesting ecology and habits of the dickcissel on the Arkansas Grand Prairie. Wilson Bull. 75(3):280.
176. Meanley, B. 1965. The roosting behavior of the red-winged blackbird in the southern United States. Wilson Bull. 77(3):217–228.
177. Meanley, B. 1966. Some observations on habitats of the Swainson's warbler. Living Bird 5:151–165.
178. Meanley, B. 1971. Natural history of the Swainson's warbler. North Am. Fauna 69. 90pp.
179. Melvin, S.M. 1977. Greater sandhill cranes wintering in Florida and Georgia. Fla. Field Nat. 5(1):8–11.
180. Meyerriecks, A.J. 1965. Ring-billed gulls gorge on fiddler crabs. Wilson Bull. 77(4):402–403.
181. Meyers, J.M. 1978. Red-bellied woodpecker status and nesting in the mountains of north Georgia. Oriole 43(1):13–14.
182. Meyers, J.M. 1979. Effects of selected transmission line right-of-way treatments on a forest bird community. M.S. Thesis. Univ. Georgia, Athens. 253pp.
183. Michael, E.D., and C. Taylor. 1978. Use of interstate highway cuts as starling nesting sites. Condor 80(1):113–115.
184. Michael, E.D., and P.I. Thornburgh. 1971. Immediate effects of hardwood removal and prescribed burning on bird populations. Southwest. Nat. 15(3):359–370.
185. Monroe, B.L., Jr. 1969. Summary of occurrence of birds of Kentucky. Ky. Warbler 45(3):47–56.
186. Monroe, B.L., Jr. 1976. Birds of the Louisville region. Ky. Warbler 52(3):39–64.
187. Morash, J.M., and E.D. Michael. 1979. Effect of mowing interstate right-of-way upon songbird use. Trans. Northeast Sect. Wildl. Soc. 36:26–31.
188. Morgan, P.H., A.S. Johnson, W.P. Baldwin, and J.L. Landers. 1976. Characteristics and management of tidal impoundments for wildlife in a South Carolina estuary. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 29:526–539.
189. Morris, S.M., and J.W. Goertz. 1979. Breeding biology of the brownheaded nuthatch in northern Louisiana. Proc. La. Acad. Sci. 42:83.
190. Morrison, M.L., and E. Shanley, Jr. 1978. Breeding success of great egrets on a dredged material island in Texas. Bull. Tex. Ornithol. Soc. 11(1):17–18.
191. Morse, D.H. 1965. Biology of mixed foraging flocks of avian species. Ph.D. Thesis. Louisiana State Univ., Baton Rouge. 188pp.

192. Mowbray, E.E., and J.W. Goertz. 1972. Nesting season and reproductive rates of cavity nesting birds of north Louisiana. Southwest. Nat. 17(2): 145–151.
193. Mueller, H.C., and D.D. Berger. 1967. Turkey vultures attack living prey. Auk 84(3):430–431.
194. Murray, J.J., Sr. 1963. An analysis of the Virginia avifauna. Va. J. Sci. 14(4):208.
195. Murray, J.J., Sr. 1964. An analysis of the Virginia avifauna. Va. J. Sci. 15(2):71–75.
196. Newsom, J.D., ed. 1967. Proceedings of the marsh and estuary management symposium: Louisiana State Univ., Baton Rouge. La. State Univ., Div. Continuing Educ. 250pp.
197. Nicholson, C.P. 1976. The Bachman's sparrow in Tennessee. Migrant 47(3):53–60.
198. Nichols, J.D., G.L. Hensler, and P.W. Sykes, Jr. 1980. Demography of the Everglade kite: implications for population management. Ecol. Modelling 9(3):215–232.
199. Nickell, W.P. 1965. Habitats, territory, and nesting of the catbird. Am. Midl. Nat. 73(2):433–478.
200. Noble, R.E., and R.B. Hamilton. 1976. Bird populations in even-aged loblolly pine forests of southeastern Louisiana. Proc. Ann. Conf. Southeast. Assoc. Game and Fish Comm. 29:441–449.
201. Norris, R.A. 1963. Birds of the A.E.C. Savannah River Plant area. Contrib. Charleston Museum 14. 78pp.
202. Odom, R.R. 1976. 1975 heronry survey of the Georgia coast. Oriole 41(2–3):19–35.
203. Ogden, J.C. 1970. Florida bay osprey population study. Fla. Nat. 43(3):113–114.
204. Ogden, J.C. 1974. Aspects of red-shouldered hawk nesting in southern Florida. Fla. Field Nat. 2(2):25–27.
205. Ogden, J.C. 1974. The short-tailed hawks of Florida. I. Migration, habitat, hunting techniques, and food habits. Auk 91(1):95–110.
206. Olendorff, R.R., and M.N. Kochert. 1977. Land management for the conservation of birds of prey. World Conf. Birds Prey 1:294–307.
207. Orians, G.H., and M.F. Willson. 1964. Interspecific territories of birds. Ecology 45(4):736–745.
208. Ortego, B., R.B. Hamilton, and R.E. Noble. 1978. Bird usage by habitat types in a large freshwater lake. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 30:627–633.
209. Owre, O.T. 1967. Predation by the chuck-will's-widow upon migrating warblers. Wilson Bull. 79(3):342.
210. Owre, O.T. 1973. A consideration of the exotic avifauna of southeastern Florida. Wilson Bull. 85(4):491–500.
211. Pank, L.F. 1974. A bibliography on seed-eating mammals and birds that affect forest regeneration. U.S. Fish and Wildl. Serv. Spec. Sci. Rep. Wildl. 174. 28pp.
212. Parnell, J.F. 1969. Habitat relations of the Parulida during spring migration. Auk 86(3):505–521.
213. Parnell, J.F., and T.L. Quay. 1964. The summer birds of the Toxaway River gorge of southwestern North Carolina. Wilson Bull. 76(2):138–146.
214. Parnell, J.F., T.L. Quay, and A. Griggs. 1963. The nesting status of the barn swallow in the southeastern United States with special reference to Wake County, North Carolina. Chat 27(4):62–64.
215. Peterson, C.H., and N.M. Peterson. 1979. The ecology of intertidal flats of North Carolina: a community profile. U.S. Fish and Wildl. Serv. FWS/OBS–79/39. 73pp.
216. Peterson, S.R. 1978. Progress in non-game wildlife management: some impressions and predictions. Proc. Int. Assoc. Fish and Wildl. Agencies 67:50–62.
217. Phillips, J. 1980. More on the birds of southern West Virginia. Redstart 47(2):85–86.
218. Pinkowski, B.C. 1976. Use of tree cavities by nesting eastern bluebirds. J. Wildl. Manage. 40(3):556–563.
219. Pitts, T.D. 1976. Nesting habits of eastern bluebirds in northwest Tennessee. Ph.D. Thesis. Univ. Tennessee, Knoxville. 159pp.
220. Pitts, T.D. 1978. Some nesting habits of Carolina chickadees. J. Tenn. Acad. Sci. 53(1):14–16.
221. Portnoy, J.W. 1977. Nesting colonies of seabirds and wading birds: coastal Louisiana, Mississippi, and Alabama. U.S. Fish and Wildl. Serv. FWS/OBS–77/07. 142pp.
222. Potter, E.F. 1968. Eastern bluebirds attract fall migrants. Chat 32(1):28–29.
223. Ramsey, J.J. 1980. A survey of the avifauna of the Beaumont unit, Big Thicket National Preserve. Bull. Tex. Ornithol. Soc. 13(1):14–19.
224. Reese, K.P., and J.D. Hair. 1978. Avian species diversity in relation to beaver pond habitats in the Piedmont region of South Carolina. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 30:437–447.
225. Reimold, R.J., and L.D. Connally. 1980. Georgia's approach to coastal zone management. Trans. North Am. Wildl. Nat. Resour. Conf. 45:181–187.
226. Riley, C.V. 1963. Revegetation and management of critical sites for wildlife. Trans. North Am. Wildl. Nat. Resour. Conf. 28:269–283.
227. Riskind, D.H. 1977. Natural resource management in Texas parklands: an overview. Bull. Tex. Ornithol. Soc. 10(2):26–30.

228. Robbins, C.S. 1978. Determining habitat requirements of non-game species. Trans. North Am. Wildl. Nat. Resour. Conf. 43:57–68.
229. Roberts, A. 1963. Breeding bird census of two pine forests with special reference to the pine warbler. Oriole 28(4):63–71.
230. Robertson, R.J. 1973. Optimal niche space of the red-winged blackbird: spatial and temporal patterns of nesting activity and success. Ecology 54(5):1085–1093.
231. Robertson, R.J., P.J. Weatherhead, F.J.S. Phelan, G.L. Holroyd, and N. Lester. 1976. Species composition, food habits, and the economic and ecological impact of winter blackbird flocks. Proc. Bird Control Semin. 7:155–162.
232. Robinson, T.S. 1965. A preliminary list of the breeding birds of the lower Cumberland River Valley. Ky. Warbler 41(4):59–62.
233. Rodgers, J.A., Jr. 1978. Feeding association between brown pelicans and wood storks. Fla. Field Nat. 6(2):44–45.
234. Rodgers, J.A., Jr. 1980. Breeding ecology of the little blue heron on the west coast of Florida. Condor 82(2):164–169.
235. Rogers, D.T., Jr. 1967. Bird populations of four different plant communities in the Blue Ridge Mountains. J. Ala. Acad. Sci. 38(2):172–176.
236. Rogers, D.T., Jr. 1977. Impoundment of the Tombigbee River and bird distribution. Auk 94 (1):149.
237. Rogers, D.T., Jr., and M. Dauber. 1976. A study of overwintering raptors in Alabama. Ala. Birdlife 24(3–4):10–12.
238. Rogers, D.T., Jr., and M.A. Dauber. 1977. Status of the red-shouldered hawk in Alabama. Ala. Birdlife 25(1–2):19.
239. Rohwer, S.A., and G.E. Woolfenden. 1969. Breeding birds of two Florida woodlands: comparisons with areas north of Florida. Condor 71(1): 38–48.
240. Rumsey, R.L. 1968. Capture and care of pileated and red-headed woodpeckers. Bird-Banding 39(4): 313–316.
241. Rylander, M.D., and B. White. 1968. A bibliography of Texas birds. Bull. Tex. Ornithol. Soc. 2:42–51.
242. Samuel, D.E. 1969. Nest abandonment and possible management of the cliff swallow in West Virginia. Trans. Northeast Sect. Wildl. Soc. 26: 181–185.
243. Samuel, D.E. 1979. Utilization of surface mines by wildlife in northern West Virginia. Proc. W. Va. Acad. Sci. 51(3):182–186.
244. Samuel, D.E., J.R. Stauffer, and W.T. Mason, Jr., eds. 1978. Surface mining and fish/wildlife needs in the eastern United States. U.S. Fish and Wildl. Serv. FWS/OBS–78/81. 386pp.
245. Sanders, A.F., III, and D.M. Soileau. 1980. Atchafalaya basin, Louisiana: wetland conservation alternatives. Trans. North Am. Wildl. Nat. Resour. Conf. 45:413–421.
246. Sanders, W.B. 1967. Breeding bird study at Chapel Hill, North Carolina. Chat 3(1):3–4.
247. Sanderson, G.C., ed. 1980. Management of migratory shore and upland game birds in North America. Univ. Nebraska Press, Lincoln. 358pp.
248. Sappington, J.N. 1977. Breeding biology of house sparrows in north Mississippi. Wilson Bull. 89(2):300–309.
249. Schardien, B.J., and J.A. Jackson. 1978. Extensive ground foraging by pileated woodpeckers in recently burned pine forest. Miss. Kite 8(1): 7–9.
250. Schemnitz, S.D. 1976. The effects of forest management practices on wildlife in eastern United States. Proc. Int. Union For. Res. Organ. 16:700–730.
251. Schreiber, R.W., and E.A. Schreiber. 1978. Colonial bird use and plant succession on dredged material islands in Florida. I. Sea and wading bird colonies. Seabird Res. Inc., Culver City, Calif. 32pp.
252. Scott, V.E., K.E. Evans, D.R. Patton, and C.P. Stone. 1977. Cavity nesting birds of North American forests. U.S. Dep. Agric. Handb. 511. 112pp.
253. Shadowen, H.E. 1969. The diet of the starling. Ky. Warbler 45(2):27–28.
254. Sheppard, D.H., P.H. Klopfer, and H. Oelke. 1968. Habitat selection: differences in stereotypy between insular and continental birds. Wilson Bull. 80(4):452–457.
255. Shugart, H.H., Jr. 1971. The niche hyperspace concept and habitat selection of winter fringillids in northern Georgia. Ph.D. Thesis. Univ. Georgia, Athens. 103pp.
256. Shugart, H.H., Jr., and D. James. 1973. Ecological succession of breeding bird populations in northwestern Arkansas. Auk 90(1):62–77.
257. Simpson, M., Jr. 1968. Notes on the summer birds of the Brushy Mountains. Chat 32(1):1–4.
258. Simpson, M.B., Jr. 1969. Prothonotary warbler in the Carolina Piedmont. Chat 33(2):31–37.
259. Simpson M.B., Jr. 1971. The black-capped chickadee in the southern Blue Ridge Mountain Province: a review of its ecology and distribution. Chat 41(4): 79–86.
260. Simpson, M.B., Jr. 1972. Notes on the summer birds of the South Mountains. Chat 36(4):99–101.
261. Simpson, M.B., Jr. 1972. The swallow-tailed kite: a review of its occurrence in southern Appalachians. Chat 36(3):69–72.
262. Simpson, M.B., Jr. 1976. Breeding season habitat and distribution of the red-breasted nuthatch in the southern Blue Ridge Mountain Province. Chat 40(2):23–25.

263. Simpson, M.B., Jr. 1976. Breeding season habitats of the golden-crowned kinglet in the southern Blue Ridge Mountains. Chat 40(4):75–76.
264. Simpson, M.B., Jr. 1978. Ecological factors contributing to the decline of Bewick's wren as a breeding species in the southern Blue Ridge Mountain Province. Chat 42(2):25–28.
265. Simpson, M.B., Jr., and R.C. Ruiz. 1976. Sawwhet owl records from the southern Great Balsam Mountains of North Carolina. Chat 40(1):14.
266. Skinner, R.W. 1962. Feeding habits of the Mississippi kite. Auk 79(2):273–274.
267. Smalley, A.E. 1980. Effect of mangrove mortality on colonial nesting birds. Proc. La. Acad. Sci. 43:184.
268. Smith, D.R., tech. coord. 1975. Proceedings of the symposium on management of forest and range habitats for non-game birds. U.S. Dep. Agric. For. Serv. Gen. Tech. Rep. WO–1. 343pp.
269. Smith, E.F., III. 1971. Bird populations and habitat analysis in Reston, Virginia. M.S. Thesis. Virginia Polytech. Inst., Blackburg. 120pp.
270. Smith, T.M., H.H. Shugart, and D.C. West. 1979. Application of a forest simulation model to predict habitat structure for three ground foraging bird species. Bull. Ecol. Soc. Am. 60(2):123.
271. Snyder, N.F.R., and H.A. Snyder. 1969. A comparative study of mollusc predation by limpkins, Everglade kites, and boat-tailed grackles. Living Bird 8:117–223.
272. Soots, R.F., Jr. 1975. Ecological succession of breeding birds in relation to plant succession on dredge islands in North Carolina estuaries. Univ. N.C. Sea Grant Program Publ. UNC–SG–75–27. 91pp.
273. Sosebee, J.B. 1973. Avian diversity in Texas. Bull. Tex. Ornithol. Soc. 5:24.
274. Southern, W.E., compiler. 1977. Proc. Conf. Colonial Waterbird Group. Natl. Audubon Soc., Res. Dep., 115 Indian Mound Trail, Tavernier, Fla. 204pp.
275. Southern, W.E., compiler. 1978. Proc. Conf. Colonial Waterbird Group. Lab. Ornithol., Cornell Univ., Ithaca, N.Y. 213pp.
276. Southern, W.E., L.K. Southern, and L.A. Hanners, compilers. 1979. Proc. Conf. Colonial Waterbird Group. Lab. Ornithol., Cornell Univ., Ithaca, N.Y. 260pp.
277. Spiller S.F., and R.H. Chabreck. 1976. Wildlife populations in coastal marshes influenced by weirs. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 29:518–525.
278. Steirly, C.C. 1965. Role of woodpeckers in the control of southern pine beetles in Virginia. Raven 36(3):55–59.
279. Stevens, C.E. 1976. Notes on summer birds in the Virginia mountains: 1970–1975. Raven 47(2): 35–40.
280. Stewart, P.A. 1969. Movements, population fluctuations, and mortality among great-horned owls. Wilson Bull. 81(2):155–162.
281. Stewart, P.A. 1969. Prey in two screech owl nests. Auk 86(1):141.
282. Stewart, P.A. 1970. Introduction of foreign eggs into nests of starlings and house sparrows. Bird-Banding 41(3):241.
283. Stewart, P.A. 1974. Summer decline of mockingbirds in a South Carolina agricultural area. J. Wild. Manage. 38(4):935–937.
284. Stewart, P.A. 1977. Breeding localities of red-winged blackbirds wintering in North and South Carolina. Chat 41(1):3–7.
285. Stieglitz, W.O., and R.L. Thompson. 1967. Status and life history of the Everglade kite in the United States. U.S. Fish and Wildl. Serv. Spec. Sci. Rep. Wildl. 109. 21pp.
286. Stowers, J.F., D.T. Harke, and A.R. Stickley, Jr. 1968. Vegetation used for nesting by the red-winged blackbird in Florida. Wilson Bull. 80(3): 320–324.
287. Stransky, J.J., and D. Richardson. 1979. Fruiting of browse plants affected by pine site preparation in east Texas. Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies 31:5–7.
288. Strelke, W.K., and J.G. Dickson. 1980. Effect of forest clearcut edge on breeding birds in east Texas. J. Wildl. Manage. 44(3):559-567.
289. Stupka, A. 1963. Notes on the birds of the Great Smokey Mountains National Park. Univ. Tenn. Press, Knoxville. 242pp.
290. Swanson, G.A. tech. coord. 1979. The mitigation symposium: a national workshop on mitigating losses of fish and wildlife habitats. U.S. For. Serv. Gen. Tech. Rep. RM–65. 684pp.
291. Swepston, D.A. 1979. Non-game species are important too. Tex. Parks Wildl. 38(6):12–15.
292. Sykes, P.W., Jr. 1980. Decline and disappearance of the dusky seaside sparrow from Merritt Island, Florida. Am. Birds 34(5):728–737.
293. Sykes, P.W., Jr., and R. Chandler. 1974. Use of artificial nest structures by Everglade kites. Wilson Bull. 86(3):282–284.
294. Sykes, P.W., Jr., and G.S. Hunter. 1978. Bird use of flooded agricultural fields during summer and early fall and some recommendations for management. Fla. Field Nat. 6(2):36–43.
295. Szaro, R.C. 1978. Reproductive success and foraging behavior of the osprey at Seashore Key, Florida. Wilson Bull. 90(1):112–118.
296. Taylor, W.K. 1963. Brown thrashers nesting in a cavity of a tree. Wilson Bull. 75(4):462.

297. Taylor, W.K. 1965. Nesting heights of some Louisiana birds. Wilson Bull. 77(2):146–150.
298. Teal, M. 1965. Nesting success of egrets and herons in Georgia. Wilson Bull. 77(3):257–263.
299. Teas, H.J. 1977. Ecology and restoration of mangrove shorelines in Florida. Environ. Conserv. 4(1):51–58.
300. Terres, J.K., compiler. 1961. Available field checklists of birds: Canada and the United States. Audubon Mag. 63(1):44–47, 62–64.
301. Terres, J.K. 1967. Cattle egrets eating earthworms. Chat 31(3):73–74.
302. Terres, J.K. 1968. Kingfishers eating bullfrog tadpoles. Auk 85(1):140.
303. Terrel, T.L., and T. French. 1975. Wintering bird populations on coal strip-mines in north-central Alabama. J. Ala. Acad. Sci. 46(1):1–13.
304. Thomas, J.W. 1973. The determination of habitat requirements for birds in suburban areas: a pilot study. Ph.D. Thesis. Univ. Massachusetts, Amherst. 173pp.
305. Thomas, L.P., and S.B. Thomas. 1965. Herring gulls diving for starfish. Q. J. Fla. Acad. Sci. 28 (2):195–196.
306. Thompson, D.H., and M.C. Landin. 1979. An aerial survey of waterbird colonies along the upper Mississippi River and their relationship to dredged material deposits. U.S. Army Eng. Waterways Exp. Stn. Tech. Rep. D–78–13. 103pp.
307. Thornburgh, P.I. 1967. Effects of hardwood removal on bird populations. M.S. Thesis. Stephen F. Austin State Coll., Nacogdoches, Texas. 48pp.
308. Tomkins, I.R. 1965. The willets of Georgia and South Carolina. Wilson Bull. 77(2):151–167.
309. Tomlinson, W.H., Jr., and F.L. Haines, III. 1980. Use of bluebird nest boxes in coastal South Carolina Chat. 44(3):70–75.
310. Tramer, E.J. 1968. An analysis of species diversity in breeding bird populations. Ph.D. Thesis. Univ. Georgia, Athens. 127pp.
311. Tramer, E.J. 1968. A revised list of the birds of Athens, Georgia and vicinity. Oriole 33(1):2–7.
312. Trost, C.H., and J.H. Hutchison. 1963. Food of the barn owl in Florida. Q. J. Fla. Acad. Sci. 26 (4):382–384.
313. Trott, J., and W. Wiggins. 1968. Summer bird population studies in the Cacapon River Valley, Hampshire County, West Virginia. Redstart 35 (3):86–97.
314. U.S. Dep. Agric. 1969. Wildlife habitat improvement handbook. U.S. Dep. Agric. For. Serv. Handb. 2609.11. 292pp.
315. Valentine, J.M., Jr., and R.E. Noble. 1970. A colony of sandhill cranes in Mississippi. J. Wildl. Manage. 34(4):761–768.
316. Via, J.W. 1980. Foraging habitat, niche comparisons, and foraging behavior of seven species of flycatchers in southwest Virginia. Ph.D. Thesis. Virginia Polytech. Inst. and State Univ., Blacksburg. 138pp.
317. Viers, C.E. 1980. A 10-year study of the winter bird population of a mixed pine-deciduous forest. Proc. La. Acad. Sci. 43:185.
318. Vogl, R.J. 1973. Effects of fire on the plants and animals of a Florida wetland. Am. Midl. Nat. 89 (2):334–347.
319. Weaver, E., Jr. 1975. Wildlife utilization trends at White Oak Marsh impoundment, North Carolina. J. Elisha Mitchell Sci. Soc. 91(2):76.
320. Weber, W.J. 1975. Notes on cattle egret breeding. Auk 92(1):111–117.
321. Werschkul, D.F. 1977. Changes in a southeastern heronry. Oriole 42(1):5–9.
322. Werschkul, D.F. 1978. Observations on the nesting habitat and nest design of the mockingbird. Miss. Kite 8(1):12–13.
323. Wharton, C.H. 1980. Values and functions of bottomland hardwoods. Trans. North Am. Wildl. Nat. Resour. Conf. 45:341–353.
324. White, L.D., L.D. Harris, J.E. Johnston, and D.G. Milchunas. 1976. Impact of site preparation on flatwoods wildlife habitat. Proc. Annu. Conf. Southeast. Assoc. Game and Fish Comm. 29:347–353.
325. White, S.C., and G.E. Woolfenden. 1973. Breeding of the eastern bluebird in central Florida. Bird-Banding 44(2):110–123.
326. Whitmore, R.C. 1979. Short-term change in vegetation structure and its effect on grasshopper sparrows in West Virginia. Auk 96(3):621–625.
327. Whitmore, R.C. 1979. Temporal variation in the selected habitats of a guild of grassland sparrows. Wilson Bull. 91(4):592–598.
328. Whitmore, R.C. 1980. Reclaimed surface mines as avian habitat islands in the eastern forest. Am. Birds 34(1):13–14.
329. Whiting, R.M., Jr. 1978. Avian diversity in various age pine forests in east Texas. Ph.D. Thesis. Texas A&M Univ., College Station. 176pp.
330. Wiley, H., and J. Croft. 1964. Ecological notes on Henslow's sparrows near Louisville. Ky. Warbler 40(3):39–41.
331. Wille, C. 1976. Controlling nuisance wildlife. Outdoor Okla. 32(1):2–6.
332. Williams, M.D., and C.P. Nicholson. 1977. Observations at a black-crowned night heron nesting colony. Migrant 48(1):1–6.
333. Williamson, P. 1971. Feeding ecology of the red-eyed vireo (*Vireo olivaceous*) and associated foliage-gleaning birds. Ecol. Monogr. 41(2):129–152.

334. Woolfenden, G.E., and S.A. Rohwer. 1969. Breeding birds in a Florida suburb. Bull. Fla. State Mus. Biol. Sci. 13(1):1–83.

335. Wray, D.L. 1965. Ground nest of a yellow-shafted flicker. Chat 29(4):111–112.

336. Wray, T., II, and R.C. Whitmore. 1979. Effects of vegetation on nesting success of vesper sparrows. Auk 96(4):802–805.

337. Wylie, W.L. 1971. The influence of a virgin stand of hemlock on the breeding birds of a central Appalachian mixed hardwood forest. M.S. Thesis. West Virginia Univ., Morgantown. 52pp.

338. Yahner, R.H., and J.C. Howell. 1975. Habitat use and species composition of breeding avifauna in a deciduous forest altered by strip-mining. J. Tenn. Acad. Sci. 50(4):142–147.

339. Yeager, L.E. 1961. Classification of North American mammals and birds according to forest habitat preference. J. For. 59(9):671–674.

340. Zeleny. L. 1976. Bluebird nest box project: 1976. Atl. Nat. 31(4):160–162.

Subject Index

(by entry number)

Bird Communities

Habitat:

3, 9, 11, 12, 14, 17, 21, 22, 23, 27, 29, 32, 40, 46, 47, 48, 52, 53, 58, 59, 60, 68, 70, 71, 72, 73, 76, 81, 83, 85, 86, 87, 91, 92, 97, 104, 114, 115, 117, 119, 120, 122, 123, 124, 135, 148, 149, 163, 164, 165, 170, 173, 174, 182, 184, 200, 208, 216, 224, 226, 228, 229, 235, 239, 242, 243, 250, 252, 254, 256, 268, 269, 287, 288, 294, 303, 304, 307, 314, 317, 323, 324, 328, 329, 334, 337, 338, 339.

Distribution:

5, 20, 31, 33, 64, 65, 90, 100, 103, 131, 133, 146, 159, 185, 186, 194, 195, 201, 213, 217, 223, 232, 241, 246, 257, 260, 273, 279, 300, 311, 313.

Miscellaneous:

2, 10, 37, 55, 57, 69, 82, 88, 89, 109, 113, 158, 192, 207, 211, 227, 244, 290, 291, 297, 310, 331.

Waterbirds

Habitat:

19, 24, 28, 29, 54, 84, 91, 150, 154, 155, 161, 172, 188, 215, 225, 251, 267, 272, 277, 299, 306, 318.

Distribution:

96, 126, 145, 151, 179, 202, 221, 236, 308, 315.

Miscellaneous:

16, 27, 50, 51, 67, 79, 80, 101, 102, 106, 132, 138, 139, 152, 153, 180, 190, 196, 233, 234, 245, 247, 271, 274, 275, 276, 298, 301, 305, 319, 320, 321, 332.

Raptors

7, 15, 26, 66, 99, 105, 112, 129, 166, 168, 171, 193, 198, 203, 204, 205, 206, 237, 238, 261, 265, 266, 271, 280, 281, 285, 293, 295, 312.

Blackbirds, Starlings, and Crows

30, 49, 62, 63, 74, 95, 107, 121, 127, 130, 137, 176, 183, 230, 231, 253, 271, 282, 284, 286.

Woodpeckers

1, 35, 36, 38, 41, 42, 43, 44, 45, 61, 125, 147, 181, 192, 240, 249, 252, 278, 335.

Other Passerines

Habitat:

18, 39, 77, 111, 116, 136, 164, 167, 177, 187, 199, 212, 219, 229, 255, 262, 263, 264, 270, 283, 292, 316, 326, 327, 336.

Distribution:

4, 6, 8, 34, 63, 78, 94, 160, 197, 214, 258, 259, 289, 325.

Miscellaneous:

1, 56, 57, 75, 93, 98, 108, 110, 118, 128, 130, 134, 140, 141, 142, 143, 144, 157, 162, 169, 175, 178, 189, 191, 218, 220, 222, 242, 248, 282, 296, 309, 322, 330, 333, 340.

Other Birds

13, 25, 156, 209, 210, 302.

Dickson, James G., Marion, Wayne R., McComb, William C., and Moriarty, John J. A partial bibliography on management of non-game birds in the Southeast, 1960–1980. U.S. Dep. Agric. For. Serv. Gen. Tech. Rep. SO-47, 11 p. South. For. Exp. Stn., New Orleans, La. 1983.

This publication summarizes literature references from 1960 to 1980 related to management of non-game birds in the Southeast.

☆U.S. GOVERNMENT PRINTING OFFICE: 1983- 675-873/103